

FIRE RATED WALLS
1 HR RATED

CAT. 6 PLENUM CABLE SCHEDULE

ROOM #	QUANTITY	TERMINATION
S21	3	IDF-509B
S22	3	IDF-509B
S20	3	IDF-509B
S19	3	IDF-509B
S17	3	IDF-509B
S15	4	IDF-509B
S13	3	IDF-509B
S14	4	IDF-509B
S09	6	IDF-509B
S08	3	IDF-509B
S07	3	IDF-509B
S06	3	IDF-509B
S05	3	IDF-509B
S04	3	IDF-509B
S03	3	IDF-509B
S02	3	IDF-509B
S01	3	IDF-509B
M01	2	IDF-509B
M02	2	IDF-509B
EXTERIOR	4 (CAMs)	IDF-509B
S2-1	2 (CAMs)	IDF-509B
C500	2 (CAMs)	IDF-509B
C501	2 (CAMs)	IDF-509B
S1-1	1 (CAM)	IDF-509B


DATA TOTAL: 71

CAT. 6A PLENUM CABLE SCHEDULE

ROOM #	QUANTITY	TERMINATION
S21	1	IDF-509B
S22	1	IDF-509B
S20	1	IDF-509B
S19	1	IDF-509B
S17	1	IDF-509B
S15	1	IDF-509B
S13	1	IDF-509B
S09	1	IDF-509B
S08	1	IDF-509B
S07	1	IDF-509B
S06	1	IDF-509B
S05	1	IDF-509B
S04	1	IDF-509B
S03	1	IDF-509B
S02	1	IDF-509B
S01	2	IDF-509B
C500	2	IDF-509B
C501	2	IDF-509B

DATA TOTAL: 21

- GENERAL NOTES:**
- ALL WIRELESS ACCESS POINTS SHALL UTILIZE CAT-6A CABLE. ALL OTHER DATA DROPS SHALL BE CAT-6.
 - TRAY IN CORRIDORS SHALL BE BASKET TRAY, TRAY IN NETWORK CLOSET SHALL BE RUNWAY.
- KEYNOTES:**
- (2)-2" CONDUIT SLEEVES WITH INSULATED BUSHINGS ON BOTH ENDS. LOCATE ABOVE ACCESSIBLE LAY-IN CEILING.
 - (1)-2" CONDUIT SLEEVE WITH INSULATED BUSHINGS ON BOTH ENDS. LOCATE ABOVE ACCESSIBLE LAY-IN CEILING.
 - (3)-3" CONDUIT SLEEVES WITH INSULATED BUSHINGS ON BOTH ENDS. LOCATE ABOVE ACCESSIBLE LAY-IN CEILING.
 - (3)-3" CONDUIT SLEEVES DOWN TO GROUND FLOOR CEILING CAVITY.



1 FIRST FLOOR TECHNOLOGY PLAN
1/8" = 1'-0"

Progressive Design Collaborative, Inc.
3101 Poplarwood Court, Suite 320
Raleigh, North Carolina 27604
919-790-9989
License# C-0183
PROJECT #23015

COOPER ACADEMY A & R
PROJECT TITLE

"CLIENT'S PROJECT" # - XXX



02/19/2024
TBTUKOVICH@PDCENGINEERS.COM

- THESE DRAWINGS ARE THE SOLE PROPERTY OF THE STATE OF NORTH CAROLINA. THE USE OF THESE DRAWINGS MUST COMPLY WITH GOOD STATE OF NORTH CAROLINA STANDARD FORM OF AGREEMENT BETWEEN OWNER AND DESIGNER.
- MATERIALS, DIMENSIONS AND ALL OTHER CONDITIONS WHICH ARE NOT OTHERWISE SPECIFIED ON THIS DRAWING SHALL BE CONTROLLED BY MAKING THE SAME MEANING AS SIMILARLY INDICATED CONDITIONS WHICH ARE MORE FULLY DEFINED ELSEWHERE ON THIS PROJECT OR OTHER DRAWINGS OF THIS PROJECT.
- DO NOT SCALE OFF DIMENSIONS.

REVISIONS

NO.	DATE	DESCRIPTION
1	02/20/2024	ADDENDUM 01

BID SET
PROJECT PHASE
2307
BOOMERANG DESIGN PROJECT NUMBER
02.07.2024
DRAWING RELEASE DATE

FIRST FLOOR TECHNOLOGY/SECURITY PLAN
SHEET TITLE

E302
SHEET

2/19/2024 3:32:49 PM