


OCCUPANCY SCHEDULE - BUILDING #3						
NO.	NAME	FUNCTION OF SPACE (per Table 1004.1.2)	AREA	FLOOR AREA PER OCCUPANT	NET/ GROSS	OCCUPANT COUNT
301J	OFFICE	BUSINESS	135 SF	100	GROSS	2
301	4th GRADE	EDUCATIONAL - CLASSROOM	842 SF	20	NET	43
301	MEDIA CENTER	ASSEMBLY - w/o FIXED SEATING UNCONCENTRATED (TABLE & CHAIRS)	1,499 SF	15	NET	100
301D	COMPUTERS	EDUCATIONAL - CLASSROOM	226 SF	20	NET	12
301E	STOR.	MECHANICAL / STORAGE	130 SF	300	GROSS	1
301F	MECH.	MECHANICAL / STORAGE	108 SF	300	GROSS	1
301G	STOR.	MECHANICAL / STORAGE	103 SF	300	GROSS	1
301H	WORKRM.	BUSINESS	139 SF	100	GROSS	2
301J	CUST.	MECHANICAL / STORAGE	62 SF	300	GROSS	1
301J	IDF	MECHANICAL / STORAGE	39 SF	300	GROSS	1
301K	CONF/ ARCHIVES	ASSEMBLY - w/o FIXED SEATING UNCONCENTRATED (TABLE & CHAIRS)	181 SF	15	NET	13
301L	CUST.	MECHANICAL / STORAGE	37 SF	300	GROSS	1
303	4th GRADE	EDUCATIONAL - CLASSROOM	832 SF	20	NET	42
304	4th GRADE	EDUCATIONAL - CLASSROOM	832 SF	20	NET	42
305	4th GRADE	EDUCATIONAL - CLASSROOM	885 SF	20	NET	45
306	3rd GRADE	EDUCATIONAL - CLASSROOM	845 SF	20	NET	43
307	3rd GRADE	EDUCATIONAL - CLASSROOM	856 SF	20	NET	43
308	3rd GRADE	EDUCATIONAL - CLASSROOM	817 SF	20	NET	41
309	3rd GRADE	EDUCATIONAL - CLASSROOM	855 SF	20	NET	43
309A	WORKRM.	BUSINESS	148 SF	100	GROSS	2
310	3rd GRADE	EDUCATIONAL - CLASSROOM	821 SF	20	NET	42
311	EC/CC	EDUCATIONAL - CLASSROOM	464 SF	20	NET	24
312	EC/AU	EDUCATIONAL - CLASSROOM	524 SF	20	NET	27
313	LITERACY	EDUCATIONAL - CLASSROOM	473 SF	20	NET	24
314	4th GRADE	EDUCATIONAL - CLASSROOM	842 SF	20	NET	43

TOTAL OCCUPANTS FOR EXISTING BUILDING #3 & CONNECTOR = 639

**NOTE:**  
PER 2018 NBC, SECTION 706.8 OPENINGS:  
- EACH OPENING THROUGH A FIRE WALL SHALL BE PROTECTED IN ACCORDANCE WITH 716.5 AND SHALL NOT EXCEED 156 SQ. FT. THE AGGREGATE WIDTH OF OPENINGS AT ANY FLOOR LEVEL SHALL EXCEED 25% OF THE LENGTH OF THE WALL.  
- OPENING AT 2 HR. RATED WALL IS 39.1 SQ. FT. TOTAL (LESS THAN 156 SQ. FT.); OPENING WIDTH IS 8.2% OF AGGREGATE WIDTH (LESS THAN 25% MAX.)

**FIRE DOOR AND SHUTTER ASSEMBLIES**  
PER 2018 NBC, SECTION 716.5:  
- APPROVED FIRE DOOR & FIRE SHUTTER ASSEMBLIES SHALL BE CONSTRUCTED OF ANY MATERIAL OR ASSEMBLY OF COMPONENT MATERIALS THAT CONFORMS TO THE TEST REQUIREMENTS OF SECTION 716.5.1, 716.5.2, AND 716.5.3 AND FIRE PROTECTION RATING INDICATED IN TABLE 716.5.



1 LIFE SAFETY PLAN - BLDG #3 & #6 CONNECTOR, POST-CONSTRUCTION  
1/16" = 1'-0"

1. THIS DRAWING IS THE PROPERTY AND BOOMERANG DESIGN P.A. AND IS NOT TO BE REPRODUCED OR COPIED IN WHOLE OR IN PART. IT IS NOT TO BE USED ON ANY OTHER PROJECT AND IS TO BE RETURNED ON REQUEST.  
2. MATERIALS, DIMENSIONS AND ALL OTHER CONDITIONS WHICH ARE NOT OTHERWISE DEFINED ON THIS DRAWING SHALL BE CONTROLLED AS HAVING THE SAME MEANING AS SIMILARLY INDICATED CONDITIONS WHICH ARE MORE FULLY DEFINED ELSEWHERE ON THIS PROJECT OR OTHER DRAWINGS OF THIS PROJECT.  
3. DO NOT SCALE OFF DIMENSIONS.

NO.	DATE	DESCRIPTION
1	02/27/2024	ADDENDUM 2

**BID SET**  
PROJECT PHASE  
**2307**  
BOOMERANG DESIGN PROJECT NUMBER  
**02.07.2024**  
DRAWING RELEASE DATE

**LIFE SAFETY PLAN- BLDG. #3 & #6 CONNECTOR, POST-CONSTRUCTION**  
SHEET TITLE

**G109A**

SHEET