












 <p>EW.01 EXTERIOR MASONRY WALL BRICK VENEER - 8" CMU - FOAMED-IN-PLACE INSULATION</p>		 <p>EW.01A EXTERIOR MASONRY WALL BRICK VENEER - 8" CMU - FOAMED-IN-PLACE INSULATION</p>		 <p>EW.01B EXTERIOR MASONRY WALL (INFILL @ EXISTING) BRICK VENEER - 8" CMU - RIGID INSULATION</p>		 <p>EW.02 EXTERIOR MASONRY WALL BRICK VENEER - 12" CMU - FOAMED-IN-PLACE INSULATION</p>		 <p>EW.02A EXTERIOR MASONRY WALL BRICK VENEER - 12" CMU - FOAMED-IN-PLACE INSULATION</p>		 <p>EW.03 EXTERIOR MASONRY WALL METAL PANEL RAINSCREEN SYSTEM</p>		 <p>EW.04 POURED-IN-PLACE CONC. (GROUND FLR. BELOW GRADE) NOT RATED</p>
 <p>EW.52 EXTERIOR MASONRY WALL (RETAINING WALL) SINGLE WYTHE - NON-INSULATED</p>		 <p>EW.53 EXTERIOR MASONRY WALL (RETAINING WALL) SINGLE WYTHE - NON-INSULATED</p>		 <p>IW.03 INTERIOR CMU WALL NON RATED</p>		 <p>IW.04 INTERIOR CMU INFILL WALL NON RATED</p>		 <p>IW.21 INTERIOR STUD & GWB WALL NON RATED</p>		 <p>IW.21A INTERIOR STUD & GWB (ONE-SIDE ONLY) WALL NON RATED</p>		 <p>IW.21B INTERIOR STUD & GWB (ONE-SIDE ONLY) WALL NON RATED</p>
 <p>IW.22 INTERIOR STUD & GWB PARTITION NON RATED</p>		 <p>IW.22A INTERIOR STUD & GWB (ONE-SIDE ONLY) PARTITION NON RATED</p>		 <p>IW.24 POURED-IN-PLACE CONCRETE (AT ELEV. PIT) 1 HR. RATED</p>		 <p>IW.26 FURRED WALL FOR TILE INSTALLATION NOT RATED</p>		 <p>IW.26A FURRED STUD WALL FOR TILE INSTALLATION NON RATED PARTITION</p>		 <p>IW.27 INTERIOR STUD W/CEMENT WALL PANEL & TILE NON RATED</p>		 <p>IW.28 INTERIOR FURRED WALL NOT RATED</p>
 <p>IW.29 INTERIOR INFILL WALL BRICK VENEER - 4" BRICK/ 4" CMU/ GWB</p>		 <p>IW.22A INTERIOR STUD & GWB (ONE-SIDE ONLY) PARTITION NON RATED</p>		 <p>IW.24 POURED-IN-PLACE CONCRETE (AT ELEV. PIT) 1 HR. RATED</p>		 <p>IW.26 FURRED WALL FOR TILE INSTALLATION NOT RATED</p>		 <p>IW.26A FURRED STUD WALL FOR TILE INSTALLATION NON RATED PARTITION</p>		 <p>IW.27 INTERIOR STUD W/CEMENT WALL PANEL & TILE NON RATED</p>		 <p>IW.28 INTERIOR FURRED WALL NOT RATED</p>
 <p>RW.01 INTERIOR CMU WALL 1-HOUR RATED U905</p>		 <p>RW.02 INTERIOR CMU WALL 2-HOUR RATED U905</p>		 <p>RW.03 EXTERIOR MASONRY WALL ADJACENT 2 HR. WALL BRICK VENEER - 1 HR. RATED U905</p>		 <p>RW.04 EXTERIOR MASONRY WALL ADJACENT 2 HR. WALL BRICK VENEER - 1 HR. RATED U905</p>		 <p>RA.20 SLOPED ROOF NON-RATED METAL ROOF ON METAL DECK P28</p>		 <p>RA.21 SLOPED ROOF 2-HOUR RATED METAL ROOF ON METAL DECK P28</p>		 <p>RA.31 LOW SLOPE NON RATED SINGLE-PLY ROOF</p>



COOPER ACADEMY
A & R
PROJECT TITLE

1. THIS DRAWING IS THE PROPERTY OF BOOMERANG DESIGN P.A. AND IS NOT TO BE REPRODUCED OR COPIED IN WHOLE OR IN PART. IT IS NOT TO BE USED ON ANY OTHER PROJECT AND IS TO BE RETURNED ON REQUEST.

2. MATERIALS, DIMENSIONS AND ALL OTHER CONDITIONS WHICH ARE NOT OTHERWISE DEFINED ON THIS DRAWING SHALL BE CONSIDERED AS HAVING THE SAME MEANING AS SIMILARLY INDICATED CONDITIONS WHICH ARE MORE FULLY DEFINED ELSEWHERE ON THIS PROJECT OR OTHER DRAWINGS OF THIS PROJECT.

3. DO NOT SCALE OFF DIMENSIONS.

NO.	DATE	DESCRIPTION
1	02/27/2024	ADDENDUM 2

BID SET
BID SET
2307
BOOMERANG DESIGN PROJECT NUMBER
02.07.2024
DRAWING RELEASE DATE

TYP. WALL & ROOF ASSEMBLIES AND RATED U.L. ASSEMBLY DETAILS
SHEET TITLE

G103
SHEET