



**Mounting locations for all tackboards.**

Tackboards, where required or requested, are to be mounted directly under room sign aligned flush with the side adjacent to the door. See specification 10100 for tackboard product information.


**Alternate mounting locations for tackboards.**

See specification 10100 for tackboard product information.




**Mounting locations for sign type 4, 7, 11, or 13.**

Signs are to be mounted either on the wall. The sign may be mounted on the door only if there are no clear walls adjacent to the door, latch side.


**Mounting locations for sign type 16, 16A, 16B, and 16C**

Signs are to be mounted on upper wall, above door frame, if applicable




**Mounting locations for sign type 17, 18, 19, 20 and 21**

Signs to be mounted on wall with center of sign 60 inches above the finished floor

**Mounting locations for sign type 22 and 22A**

Signs are to be bracketed perpendicular to the wall




**Mounting locations for Sign Type 14, 23, and 24**

Sign type 23 and 24 are to be mounted from the ceiling



Connection of Sign Type 23 and 24 to ceiling



**Methods of attachment of interior signs**

The primary means of attaching wall-mounted interior signs will be double sided foam tape as supplied by New Hermes. This adhesive tape is the appropriate attachment for substrates as follows:

Painted gypsum board  
Painted concrete masonry units  
Concrete masonry units (unpainted)  
Brick, painted and unpainted  
Wood

Where vandalism requires other means of attachment, tamperproof screws set 9/32" from side will be employed. Screws will be set into expansion anchors for gypsum board and masonry substrates.

Signs mounted on glass will have a backer sign of equal size. Backer plate color to be slate gray to match sign color.

Perpendicular signs will be mounted to wall with an aluminum channel extrusion with hidden fasteners.

Overhead signs are to be attached to ceiling grid by brackets screwed into signs. Four-sided overhead signs will require metal supports that rest over grid.

Directories will be screwed into wall in either a surface-mounted or semi-recessed manner.

Kiosk will be either bolted to floor or with weighted bases with glides.

Backlit directory will be either recessed in wall or supported by a custom cabinet.

**NC STATE** UNIVERSITY

Campus Signage Program

2.5

Revised August, 2003

**SIGN STANDARDS**


The following Sign Types are representative examples of some of the most commonly encountered conditions on the North Carolina State University campus. They provide explicit guidance for these particular conditions and as a system suggest design solutions for the many unique conditions which will be encountered in designing signs for university facilities:

Sign Type 1:	Door sign with permanent room identification.
Sign Type 2:	Door sign with permanent room identification and secondary information including room function.
Sign Type 2A:	Sign with university department and additional information. This sign will be used at doors leading to private corridors where the users cannot see the room numbers beyond the doorway or hallway.
Sign Type 3:	Door sign with permanent room identification and room function requiring three or four lines of copy or other additional information.
Sign Type 3A:	Door sign with permanent room identification and university department with seal.
Sign Type 4:	Regulatory sign. No smoking.
Sign Type 4A:	Regulatory sign. No food or drink.
Sign Type 5:	Not used
Sign Type 6:	Accessible restroom door sign.
Sign Type 6A:	Non-accessible restroom door sign.
Sign Type 6B:	Unisex non-accessible restroom door sign.
Sign Type 6C:	Unisex Accessible restroom door sign.
Sign Type 7:	Warning Sign.
Sign Type 8:	Not Used
Sign Type 9:	Stair identification sign.
Sign Type 9A:	Stair identification sign with stair name.
Sign Type 10:	Floor destination sign located in stairwell.
Sign Type 11:	Emergency exit sign.
Sign Type 11A:	Emergency exit sign with additional copy.
Sign Type 12:	Informational sign to be installed below sign type 1, 2, or 3 with one line of copy including occupants name.
Sign Type 12A:	Informational sign to be installed below sign type 1, 2, or 3 with one line of copy and one symbol or two lines of copy.

Sign Type 12B:	Informational sign to be installed below sign type 1, 2, or 3 with a pictogram such as "No smoking", "No food or drink", or "International Symbol of Accessibility".
Sign Type 12C:	Informational sign to be installed below sign type 1, 2, or 3 with both pictogram and copy.
Sign Type 12D:	Informational sign to be installed below Sign Types 1, 2, 3, 6A, or 6B with one line of copy and one symbol or two lines of copy.
Sign Type 12E:	Informational sign to be installed below Sign Types 1, 2, or 3 with multiple lines of copy and a symbol such as "No Smoking", "No Food or Drink", or "International Symbol of Accessibility" pictogram.
Sign Type 12F:	Informational sign with window for paper insert for shorter variable information.
Sign Type 13:	Permanent information copy sign.
Sign Type 13A:	Permanent information copy sign with two levels of information.
Sign Type 13B:	Directional sign with single arrow and message.
Sign Type 13C:	Permanent information sign requiring larger letter size or more than four lines of copy.
Sign Type 14:	Area of Rescue Assistance.
Sign Type 14A:	Overhead Directional Area of Rescue Assistance sign.
Sign Type 14B:	Overhead Directional Area of Rescue Assistance sign.
Sign Type 14C:	Overhead Directional Area of Rescue Assistance sign.
Sign Type 15:	Departmental sign with permanent room identification, name of department and optional paper insert module below for variable information.
Sign Type 16:	Area name or elevator identification to be installed on upper wall.
Sign Type 16A:	Area name or elevator identification to be installed on upper wall with a second line of informational copy.
Sign Type 16B:	Area name or elevator identification to be installed on upper wall when sign type 16 will not fit within architectural restraints.
Sign Type 16C:	Area name or elevator identification to be installed on upper wall when sign type 16 will not fit within architectural restraints and copy will not fit within one line.
Sign Type 17:	Directional signage to be installed on wall requiring multiple directional messages with arrows and color cues.



Sign Type 17A:	Directional signage to be installed on wall requiring multiple directional messages with arrows.
Sign Type 18:	Informational sign with window for paper insert for variable information including hours of operation, building policy information, accessible toilet room maps, or maps including diagrammable elements.
Sign Type 18A:	Informational sign with window for paper insert for shorter variable information.
Sign Type 19:	Sign with window for paper insert of building evacuation maps.
Sign Type 20:	Sign with silk-screened insert of orientation map.
<del>Sign Type 21:</del>	<del>Directory with metal frame for glass cover, a header and 26 holders for paper inserts for building floor or wing destinations.</del>
<del>Sign Type 21A:</del>	<del>Directory with metal frame for glass cover, a header and 52 holders for paper inserts for building or building wing or floor destinations.</del>
<del>Sign Type 21B:</del>	<del>Directory with metal frame for glass cover, a header and 100 holders for paper inserts for building or building wing destinations.</del>
<del>Sign Type 21C:</del>	<del>Directory with metal frame for glass cover, a header and 150 holders for paper inserts for building destinations.</del>
Sign Type 22:	Overhead sign to be bracketed at right angle to wall.
Sign Type 22A:	Overhead sign to be bracketed at right angle to wall requiring more than one line of copy.
Sign Type 23:	Overhead sign to be ceiling mounted with potential of three lines of directional copy on one side.
Sign Type 23A:	Overhead sign to be ceiling mounted with potential of three lines of directional copy on both sides of sign.
Sign Type 23B:	Overhead sign to be ceiling mounted with potential of four lines of directional copy on one side.
Sign Type 23C:	Overhead sign to be ceiling mounted with potential of four lines of directional copy on both sides.
Sign Type 24:	Overhead sign to be ceiling mounted with four faces each of which has the potential of three lines of directional copy.
Sign Type 24A:	Overhead sign to be ceiling mounted with four faces each of which has the potential of four lines of directional copy.
Sign Type 25:	Three sided kiosk with potential of map or informational copy on all sides as well as holders for paper handouts.
Sign Type 26:	Backlit orientation map and directory combination.

**Description:**

Door sign with permanent room identification.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B1 - 1/16" thick Gravo-Tac of 7" wide and 2" high, #277 SLATE


**Graphics / Typography / Color:**


Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32"

Gravo-Tac

Braille - 1/4" height, color to match #277 SLATE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**Description:**

Door sign with permanent room identification and secondary information including room function.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE


**Graphics / Typography / Color:**


Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 1/4" height, color to match #277 SLATE

Information Copy - Univers 55, 7/16" cap height, engraved letters, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**Description:**

Door sign with university department and additional information. This sign will be used at doors leading to private corridors where the users cannot see the room numbers beyond the doorway or hallway.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED


B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE

**Graphics / Typography / Color:**

Room Designation - Univers 55, 7/16" cap height, engraved letters, WHITE


Information Copy - Univers 55, 5/16" cap height, engraved letters, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
2A | Mounting Location View

Not to Scale

**Description:**

Door sign with permanent room identification and secondary information including Directional Information.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE

**Graphics / Typography / Color:**


Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32"


Gravo-Tac

Braille - 1/4" height, color to match #277 SLATE

Information Copy - Univers 55, 7/16" cap height, engraved letters, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**Description:**

Door sign with permanent room identification, room function requiring 3 or 4 lines of copy or additional information.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B3 - 1/16" thick Gravo-Tac of 7" wide and 6" high, #277 SLATE

**Graphics / Typography / Color:**

Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32"


Gravo-Tac


Braille - 1/4" height, color to match #277 SLATE

Information Copy - Univers 55, 7/16" cap height, engraved letters, WHITE

Hours - Univers 55, 5/16" cap height, engraved letters, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*





1  
3A | Elevation View

Scale: 1/2" = 1"

#### Description:

Door sign with permanent room identification, university department with seal.

#### Material / Size / Color:

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B3 - 1/16" thick Gravo-Tac of 7" wide and 6" high, #277 SLATE

#### Graphics / Typography / Color:

Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32"


Gravo-Tac

Braille - 1/4" height, color to match #277 SLATE

Information Copy - Univers 55, 7/16" cap height, engraved letters, WHITE

Seal - 1-1/2" Printed emblem on adhesive backed paper

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
3A | Mounting Location View

Not to Scale

**Description:**

Regulatory sign indicating a No Smoking area.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B4 - 1/16" thick Gravo-Tac of 7" wide and 8" high, #277 SLATE


**Graphics / Typography / Color:**

Information Copy - Univers 55, 5/8" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE

Pictograph - 4" raised pictogram on 1/32" Gravo-Tac, #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*







1  
4A | Elevation View

Scale: 1/2" = 1"

#### Description:

Regulatory sign indicating an area where Food and Drink are not allowed.

#### Material / Size / Color:

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B4 - 1/16" thick Gravo-Tac of 7" wide and 8" high, #277 SLATE


#### Graphics / Typography / Color:

Information Copy - Univers 55, 5/8" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE


Pictograph - 4" raised pictogram on 1/32" Gravo-Tac, #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
4A | Mounting Location View

Not to Scale



1  
6 | Elevation View

Scale: 1/2" = 1"

#### Description:

Accessible restroom door sign.

#### Material / Size / Color:

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B5 - 1/16" thick Gravo-Tac of 7" wide and 9" high, #277 SLATE

#### Graphics / Typography / Color:

Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32"


Gravo-Tac

Information Copy - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE


Pictographs - 4-1/2" and 2-1/2" raised pictographs on 1/32" Gravo-Tac, #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*




2  
6 | Mounting Location View

Not to Scale



1  
6A | Elevation View

Scale: 1/2" = 1"



2  
6A | Mounting Location View

Not to Scale

#### Description:

Non-accessible restroom door sign.

#### Material / Size / Color:

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B5 - 1/16" thick Gravo-Tac of 7" wide and 9" high, #277 SLATE

#### Graphics / Typography / Color:

Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Information Copy - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE


Pictographs - 4-1/2" raised pictographs on 1/32" Gravo-Tac, #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



1  
6B | Elevation View

Scale: 1/2" = 1"



2  
6B | Mounting Location View

Not to Scale

#### Description:

Unisex non-accessible restroom door sign.

#### Material / Size / Color:

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B5 - 1/16" thick Gravo-Tac of 7" wide and 9" high, #277 SLATE

#### Graphics / Typography / Color:

Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Information Copy - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE

Pictographs - 4-1/2" raised pictographs on 1/32" Gravo-Tac, #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



1  
6C Elevation View

Scale: 1/2" = 1"

#### Description:

Unisex accessible restroom door sign.

#### Material / Size / Color:

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B5 - 1/16" thick Gravo-Tac of 7" wide and 9" high, #277 SLATE

#### Graphics / Typography / Color:


Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Information Copy - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE


Pictographs - 4-1/2" raised pictographs on 1/32" Gravo-Tac, #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
6C Mounting Location View

Not to Scale



$\frac{1}{7}$  | Elevation View


Scale:  $1/2" = 1"$

**Description:**

Warning Sign Holder.


**Material / Size / Color:****Graphics / Typography / Color:**

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



$\frac{2}{7}$  | Mounting Location View

Not to Scale



$\frac{1}{9}$  | Elevation View

Scale: 1/2" = 1"

#### Description:

Stair Identification Sign.

#### Material / Size / Color:

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B5 - 1/16" thick Gravo-Tac of 7" wide and 9" high, #277 SLATE


#### Graphics / Typography / Color:

Information Copy - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE


Pictographs - 3-3/8" raised pictographs on 1/32" Gravo-Tac, #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



$\frac{2}{9}$  | Mounting Location View

Not to Scale



1  
9A | Elevation View

Scale: 1/2" = 1"

#### Description:

Stair identification sign with stair name.

#### Material / Size / Color:

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B5 - 1/16" thick Gravo-Tac of 7" wide and 9" high, #277 SLATE


#### Graphics / Typography / Color:

Information Copy - Univers 55, 5/8" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE

Pictographs - 3-3/8" raised pictographs on 1/32" Gravo-Tac, #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
9A | Mounting Location View

Not to Scale





1  
10 | Elevation View

Scale: 1/2" = 1"

#### Description:

Floor destination sign located in stairwell.  
This sign required only in buildings 4 floors or more.

#### Material / Size / Color:

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED  
B3 - 1/16" thick Gravo-Tac of 7" wide and 6" high, #277 SLATE

#### Graphics / Typography / Color:

Floor Designation - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac


Floor Number - Univers 55, 2" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Information Copy - Univers 55, 5/16" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE

*\*Note: If stairwell leads to roof and building is 4 floors or more, then add text to this sign only: "No Roof Access"*

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
10 | Mounting Location View

Not to Scale

**Description:**

Emergency Exit Sign.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED


B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE

**Graphics / Typography / Color:**

Information Copy - Univers 55, 5/8" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE


*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
11

Mounting Location View

Not to Scale

**Description:**

Emergency Exit sign with additional informational copy.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B3 - 1/16" thick Gravo-Tac of 7" wide and 6" high, #277 SLATE


**Graphics / Typography / Color:**


Information Copy 1 - Univers 55, 5/8" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Information Copy 2 - Univers 55, 5/16" cap height, engraved letters, WHITE

Braille - 3/8" height, color to match #277 SLATE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**Description:**

Fire Door sign. Door usually kept closed.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED


B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE

**Graphics / Typography / Color:**

Information Copy - Univers 55, 5/8" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac


Braille - 3/8" height, color to match #277 SLATE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
11B | Mounting Location View

Not to Scale

**Description:**

Fire Door sign. Door usually kept open.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED


B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE


**Graphics / Typography / Color:**

Information Copy - Univers 55, 5/8" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac

Braille - 3/8" height, color to match #277 SLATE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**Description:**

Informational sign to be installed below Sign Types 1, 2, or 3.


**Material / Size / Color:**

B1 - 1/16" thick Gravo-Tac of 7" wide and 2" high, #277 SLATE

**Graphics / Typography / Color:**


Information Copy - Univers 55, 5/16" cap height, engraved letters, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2/12 Mounting Location View

Not to Scale

**Description:**

Informational sign to be installed below Sign Types 1, 2, or 3 with one line of copy and one symbol or two lines of copy..

**Material / Size / Color:**


B1 - 1/16" thick Gravo-Tac of 7" wide and 2" high, #277 SLATE

**Graphics / Typography / Color:**

Information Copy - Univers 55, 5/16" cap height, engraved letters, WHITE

Arrow - 5/8" engraved arrow, WHITE


*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
12A

Mounting Location View

Not to Scale

**Description:**

Informational sign to be installed below Sign Types 1, 2, or 3 with a symbol such as "No Smoking", "No Food or Drink, or "International Symbol of Accessibility" pictogram.


**Material / Size / Color:**

B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE


**Graphics / Typography / Color:**

Pictograph - 2-1/2" engraved pictograph, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*





**Description:**

Informational sign to be installed below Sign Types 1, 2, or 3 with one line of copy and a symbol such as "No Smoking", "No Food or Drink, or "International Symbol of Accessibility" pictogram.

**Material / Size / Color:**


B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE

**Graphics / Typography / Color:**

Information Copy - Univers 55, 5/16" cap height, engraved letters, WHITE

Pictograph - 2-1/2" engraved pictograph, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**Description:**

Informational sign to be installed below Sign Types 1, 2, 3, 6A, or 6B with one line of copy and one symbol or two lines of copy.


**Material / Size / Color:**


B1 - 1/16" thick Gravo-Tac of 7" wide and 2" high, #277 SLATE

**Graphics / Typography / Color:**

Information Copy - Univers 55, 5/16" cap height, engraved letters, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**Description:**

Informational sign to be installed below Sign Types 1, 2, or 3 with multiple lines of copy and a symbol such as "No Smoking", "No Food or Drink", or "International Symbol of Accessibility" pictogram.

**Material / Size / Color:**


B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE

**Graphics / Typography / Color:**

Information Copy - Univers 55, 5/16" cap height, engraved letters, WHITE


Pictograph - 2-1/2" engraved pictograph, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**2**  
12E | Mounting Location View

Not to Scale



$\frac{1}{12F}$  | Elevation View

Scale:  $1/2" = 1"$

#### Description:

Informational sign with window for paper insert for shorter variable information.

#### Material / Size / Color:


B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE

G1 - 1/16" clear acrylic of 7" wide and 4" high with pocket for paper insert

#### Graphics / Typography / Color:


Information Copy - window available for paper insert to display variable information

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



$\frac{2}{12F}$  | Mounting Location View

Not to Scale

**Description:**

Permanent information copy sign.

**Material / Size / Color:**


A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED

B2 - 1/16" thick Gravo-Tac of 7" wide and 4" high, #277 SLATE

**Graphics / Typography / Color:**


Information Copy - Univers 55, 5/16" cap height, engraved letters, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**2**  
**13** | Mounting Location View

Not to Scale

**Description:**

Permanent information copy sign with two levels of information.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED


B3 - 1/16" thick Gravo-Tac of 7" wide and 6" high, #277 SLATE

**Graphics / Typography / Color:**

Floor Designation - Univers 55, 7/16" cap height, engraved letters, WHITE

Information Copy - Univers 55, 5/16" cap height, engraved letters, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**Description:**

Directional Information sign.

**Material / Size / Color:**

A1 - 1/32" thick Gravo-Tac of 7" wide and 3/4" high, #248-114 RED


B3 - 1/16" thick Gravo-Tac of 7" wide and 6" high, #277 SLATE


**Graphics / Typography / Color:**

Information Copy - Univers 55, 5/8" cap height, engraved letters, WHITE


Arrow - 5/8" engraved arrow, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*






*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*







1  
14 | Elevation View

Scale: 1/8" = 1"

#### Description:

Area of Rescue Assistance.

#### Material / Size / Color:

A3 - 1/32" thick Gravo-Tac of 24" wide and 3/4" high, #248-114 RED

B13 - 1/8" thick Gravo-Tac of 24" wide and 9" high, #277 SLATE


#### Graphics / Typography / Color:

Information Copy - Univers 55, 1-1/4" cap height, vinly machine-cut letters, color to match Gravo-Tac #200-114 WHITE

Pictographs - Minimum 6" x 6" symbol size, WHITE


*\*Note: Refer to NCSBC / IBC Vol. 1-C (Accessibility Code) Section 6.3.2.6 for additional requirements.*

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
14 | Detail Elevation View

Scale: 1/4" = 1"



3  
14 | Mounting Location View

Not to Scale



1  
14A | Elevation View

Scale: 1/8" = 1"

#### Description:

Overhead Directional Area of Rescue Assistance sign.

#### Material / Size / Color:

A4 - 1/32" thick Gravo-Tac of 36" wide and 3/4" high, #248-114 RED  
B15 - 1/8" thick Gravo-Tac of 36" wide and 9" high, #277 SLATE


#### Graphics / Typography / Color:

Information Copy - Univers 55, 1-1/4" cap height, vinly machine-cut letters, color to match Gravo-Tac #200-114 WHITE

Pictographs - Minimum 6" x 6" symbol size, WHITE


*\*Note: Refer to NCSBC / IBC Vol. 1-C (Accessibility Code) Section 6.3.2.6 for additional requirements.*

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*




2  
14A | Detail Elevation View

Scale: 1/4" = 1"



3  
14A | Mounting Location View

Not to Scale

**Description:**

Overhead Directional Area of Rescue Assistance sign.

**Material / Size / Color:**

A4 - 1/32" thick Gravo-Tac of 36" wide and 3/4" high, #248-114 RED  
 B15 - 1/8" thick Gravo-Tac of 36" wide and 9" high, #277 SLATE



**Graphics / Typography / Color:**


Information Copy - Univers 55, 1-1/4" cap height, vinly machine-cut letters, color to match Gravo-Tac #200-114 WHITE

Pictographs - Minimum 6" x 6" symbol size, WHITE

*\*Note: Refer to NCSBC / IBC Vol. 1-C (Accessibility Code) Section 6.3.2.6 for additional requirements.*

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*





1  
14C | Elevation View

Scale: 1/8" = 1"

#### Description:

Overhead Directional Area of Rescue Assistance sign.

#### Material / Size / Color:

A4 - 1/32" thick Gravo-Tac of 36" wide and 3/4" high, #248-114 RED  
B15 - 1/8" thick Gravo-Tac of 36" wide and 9" high, #277 SLATE


#### Graphics / Typography / Color:

Information Copy - Univers 55, 1-1/4" cap height, vinly machine-cut letters, color to match Gravo-Tac #200-114 WHITE

Pictographs - Minimum 6" x 6" symbol size, WHITE


*\*Note: Refer to NCSBC / IBC Vol. 1-C (Accessibility Code) Section 6.3.2.6 for additional requirements.*

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
14C | Detail Elevation View

Scale: 1/4" = 1"



3  
14C | Mounting Location View

Not to Scale

**Description:**

Departmental sign with permanent room identification, name of department, and optional paper insert module below for variable information.


**Material / Size / Color:**

A9 - 1/32" thick Gravo-Tac of 36" wide and 3/4" high, #248-114 RED  
 B6 - 1/8" thick Gravo-Tac of 11-1/2" wide and 5" high, #277 SLATE  
 B7 - 1/8" thick Gravo-Tac of 11-1/2" wide and 9" high, #277 SLATE  
 G2 - 1/16" clear acrylic of 11-1/2" wide and 5" high with pocket for paper insert

**Graphics / Typography / Color:**

Room Number - Univers 55, 3/4" cap height, raised letters, #200-114 WHITE, 1/32" Gravo-Tac  
 Braille - 1/4" height, color to match #277 SLATE  
 Information Copy - Univers 55, 1" cap height, engraved letters, WHITE  
 Pictographs - Minimum 6" x 6" symbol size, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
15

Mounting Location View

Not to Scale



1  
16 | Elevation View

Scale:  $3/32" = 1"$

#### Description:

Area name or elevator identification to be installed on upper wall.


#### Material / Size / Color:

A8 - 1/32" thick Gravo-Tac of 48" wide and 1" high, #248-114 RED  
B17 - 1/8" thick Gravo-Tac of 48" wide and 6" high, #277 SLATE

#### Graphics / Typography / Color:


Information Copy - Univers 55, 3" cap height, vinyl letters, color to match Gravo-Tac #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*




2  
16 | Detail Elevation View

Scale:  $1/4" = 1"$



3  
16 | Mounting Location View

Not to Scale



1  
16A | Elevation View

Scale: 3/32" = 1"

#### Description:

Area name or elevator identification to be installed on upper wall with second line of informational copy.

#### Material / Size / Color:


A8 - 1/32" thick Gravo-Tac of 48" wide and 1" high, #248-114 RED  
B18 - 1/8" thick Gravo-Tac of 48" wide and 10" high, #277 SLATE

#### Graphics / Typography / Color:

Information Copy Line 1- Univers 55, 3" cap height, vinyl letters, color to match Gravo-Tac #200-114 WHITE


Information Copy Line 2- Univers 55, 2-1/2" cap height, vinyl letters, color to match Gravo-Tac #200-114 WHITE

\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4



2  
16A | Detail Elevation View

Scale: 1/4" = 1"



3  
16A | Mounting Location View

Not to Scale



1  
16B | Elevation View

Scale: 1/8" = 1"

#### Description:

Area name or elevator identification to be installed on upper wall when Sign Type 16 will not fit within architectural restraints.


#### Material / Size / Color:

A7 - 1/32" thick Gravo-Tac of 36" wide and 1" high, #248-114 RED  
B14 - 1/8" thick Gravo-Tac of 36" wide and 6" high, #277 SLATE

#### Graphics / Typography / Color:


Information Copy - Univers 55, 3" cap height, vinyl letters, color to match Gravo-Tac #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
16B | Detail Elevation View


Scale: 1/4" = 1"



3  
16B | Mounting Location View

Not to Scale





1  
16C | Elevation View

Scale: 1/8" = 1"

#### Description:

Area name or elevator identification to be installed on upper wall when Sign Type 16 will not fit within architectural restraints and copy will not fit within one line.


#### Material / Size / Color:

A7 - 1/32" thick Gravo-Tac of 36" wide and 1" high, #248-114 RED  
B16 - 1/8" thick Gravo-Tac of 36" wide and 10" high, #277 SLATE

#### Graphics / Typography / Color:


Information Copy - Univers 55, 3" cap height, vinyl letters, color to match Gravo-Tac #200-114 WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*




2  
16C | Detail Elevation View

Scale: 1/4" = 1"



3  
16C | Mounting Location View

Not to Scale



1  
17 | Elevation View

Scale:  $3/16" = 1"$

#### Description:

Directional signage to be installed on wall requiring multiple directional messages with arrows.

#### Material / Size / Color:

A6 -  $3/16"$  thick Gravo-Tac of 18" wide and 1" high, #248-114 RED

B9 -  $3/16"$  thick Gravo-Tac of 18" wide and  $1/2"$  high, #277 SLATE

B10 -  $1/8"$  thick Gravo-Tac of 18" wide and 2" high, #277 SLATE, attached with double-sided foam tape


B12 -  $1/8"$  thick Gravo-Tac backing of 18" wide and 18" high, #277 SLATE

#### Graphics / Typography / Color:

Directory Listing - Univers 55, 1" cap height, engraved letters, WHITE


Arrow - vinyl squares in color with 1" WHITE arrow, color shown for illustration purposes only and is not a specified color

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*




2  
17 | Detail Elevation View

Scale:  $1/4" = 1"$



3  
17 | Mounting Location View

Not to Scale



1  
17A | Elevation View

Scale: 3/16" = 1"

#### Description:

Directional signage to be installed on wall requiring multiple directional messages with arrows.

#### Material / Size / Color:

A6 - 3/16" thick Gravo-Tac of 18" wide and 1" high, #248-114 RED

B9 - 3/16" thick Gravo-Tac of 18" wide and 1/2" high, #277 SLATE

B10 - 1/8" thick Gravo-Tac of 18" wide and 2" high, #277 SLATE, attached with double-sided foam tape


B11 - 1/8" thick Gravo-Tac backing of 18" wide and 12" high, #277 SLATE

#### Graphics / Typography / Color:

Directory Listing - Univers 55, 1" cap height, engraved letters, WHITE


Arrow - 1" engraved arrows, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*




2  
17A | Detail Elevation View

Scale: 1/4" = 1"



3  
17A | Mounting Location View

Not to Scale



$\frac{1}{18}$  | Elevation View

Scale:  $\frac{1}{4}'' = 1''$

#### Description:

Informational sign with window for paper insert for variable information including hours of operation, building policy information, accessible toilet room maps, or maps including diagrammable elements.

#### Material / Size / Color:

A5 -  $\frac{1}{32}''$  thick Gravo-Tac of  $11\frac{1}{2}''$  wide and  $1''$  high, #248-114 RED


B20 -  $\frac{1}{8}''$  thick Gravo-Tac of  $11\frac{1}{2}''$  wide and  $11\frac{1}{2}''$  high, #277 SLATE

G5 -  $\frac{1}{16}''$  clear acrylic of  $11\frac{1}{2}''$  wide and  $11\frac{1}{2}''$  high with pocket for paper insert

#### Graphics / Typography / Color:


Paper Insert - variable information to be shown in window

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



$\frac{2}{18}$  | Mounting Location View

Not to Scale



1  
18A | Elevation View

Scale: 1/8" = 1"

#### Description:

Informational sign with window for paper insert for variable information including hours of operation, building policy information, accessible toilet room maps, or maps including diagrammable elements.

#### Material / Size / Color:

A10 - 1/32" thick Gravo-Tac of 9" wide and 1" high, #248-114 RED


B19 - 1/8" thick Gravo-Tac of 9" wide and 14" high, #277 SLATE

G4 - 1/16" clear acrylic of 9" wide and 14" high with pocket for paper insert

#### Graphics / Typography / Color:


Paper Insert - variable information to be shown in window

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
18A | Mounting Location View

Not to Scale



1  
19 | Elevation View

Scale: 1/4" = 1"

#### Description:

Sign with window for paper insert of building evacuation maps.

#### Material / Size / Color:

A5 - 1/32" thick Gravo-Tac of 11-1/2" wide and 1" high, #248-114 RED

B8 - 1/8" thick Gravo-Tac of 11-1/2" wide and 14" high, #277 SLATE

G3 - 1/16" clear acrylic of 11-1/2" wide and 14" high with pocket for paper insert


#### Graphics / Typography / Color:

Title - Univers 55, 3/4" cap height, engraved letters, WHITE

Warning - Univers 55, 5/16" cap height, engraved letters, WHITE


Paper Insert - variable information to be shown in window

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
19 | Mounting Location View

Not to Scale



1  
20 | Elevation View

Scale: 1/4" = 1"

#### Description:

Sign with silk screened insert of orientation map.

#### Material / Size / Color:


A6 - 1/32" thick Gravo-Tac of 18" wide and 1" high, #248-114 RED

B12 - 1/8" thick Gravo-Tac of 18" wide and 18" high, #277 SLATE

#### Graphics / Typography / Color:


Orientation map - silkscreen map of 17" wide and 16" high

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
20 | Mounting Location View

Not to Scale

**Description:**

Directory with hinged metal frame for glass cover, a header and 22 holders for paper inserts for building floor or wing destinations.

**Material / Size / Color:**

C1 - 1/8" painted aluminum of 10-1/2" wide and 2-1/2" high, color to match Gravo-Tac #277 SLATE and #248-114 RED  
 D1 - Painted aluminum frame 10-1/2" wide and 16" high, color to match #277 SLATE



**Graphics / Typography / Color:**

Building Name - Univers 55, 3/4" cap height, WHITE

Directory Title - Univers 55, 1/2" cap height, BLACK

Directory Listing - Univers 55, 1/4" cap height, BLACK

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*





**Description:**

Directory with hinged metal frame for glass cover, a header and 44 holders for paper inserts for building floor or wing destinations.

**Material / Size / Color:**


C2 - 1/8" painted aluminum of 20" wide and 2-1/2" high, color to match Gravo-Tac #277 SLATE and #248-114 RED  
D1 - Painted aluminum frame 20" wide and 16" high, color to match #277 SLATE

**Graphics / Typography / Color:**

Building Name - Univers 55, 3/4" cap height, WHITE

Directory Title - Univers 55, 1/2" cap height, BLACK


Directory Listing - Univers 55, 1/4" cap height, BLACK



1  
21A | Elevation View


Scale: 1/8" = 1"

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*




2  
21A | Detail Elevation View

Scale: 1/4" = 1"



3  
21A | Mounting Location View

Not to Scale



1  
21B | Elevation View

Scale: 1/8" = 1"

#### Description:

Directory with hinged metal frame for glass cover, a header and 84 holders for paper inserts for building floor or wing destinations.

#### Material / Size / Color:

C2 - 1/8" painted aluminum of 20" wide and 2-1/2" high, color to match Gravo-Tac #277 SLATE and #248-114 RED  
D3 - Painted aluminum frame 20" wide and 26" high, color to match #277 SLATE


#### Graphics / Typography / Color:

Building Name - Univers 55, 3/4" cap height, WHITE

Directory Title - Univers 55, 1/2" cap height, BLACK


Directory Listing - Univers 55, 1/4" cap height, BLACK

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*




2  
21B | Detail Elevation View

Scale: 1/4" = 1"



3  
21B | Mounting Location View

Not to Scale



1  
21C | Elevation View

Scale: 1/8" = 1"

#### Description:

Directory with hinged metal frame for glass cover, a header and 126 holders for paper inserts for building floor or wing destinations.

#### Material / Size / Color:

C3 - 1/8" painted aluminum of 29-1/2" wide and 2-1/2" high, color to match Gravo-Tac #277 SLATE and #248-114 RED  
D4 - Painted aluminum frame 29-1/2" wide and 26" high, color to match #277 SLATE


#### Graphics / Typography / Color:

Building Name - Univers 55, 3/4" cap height, WHITE

Directory Title - Univers 55, 1/2" cap height, BLACK


Directory Listing - Univers 55, 1/4" cap height, BLACK

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



2  
21C | Detail Elevation View

Scale: 1/4" = 1"



3  
21C | Mounting Location View

Not to Scale

**Description:**


Overhead sign to be bracketed at right angle to wall.

**Material / Size / Color:**

E1 - 1" expanded polystyrene core with expanded PVC facing and reinforcement on edges of 24" wide and 6" high, color to match Gravo-Tac #277 SLATE and #248-114 RED  
F1 - 1/2" clear anodized aluminum mating channel 6" high

**Graphics / Typography / Color:**



Copy - Univers 55, 3" cap height, WHITE



1  
22

Elevation View


Scale: 3/16" = 1"



2  
22

Detail Elevation View

Scale: 1/4" = 1"




3  
22

Mounting Location View

Not to Scale

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



1  
22A | Elevation View

Scale: 3/16" = 1"

#### Description:

Overhead sign to be bracketed at right angle to wall requiring more than one line of copy.


#### Material / Size / Color:

E2 - 1" expanded polystyrene core with expanded PVC facing and reinforcement on edges of 24" wide and 10" high, color to match Gravo-Tac #277 SLATE and #248-114 RED  
F2 - 1/2" clear anodized aluminum mating channel 10" high

#### Graphics / Typography / Color:


Copy - Univers 55, 3" cap height, WHITE

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*




2  
22A | Detail Elevation View

Scale: 1/4" = 1"



3  
22A | Mounting Location View

Not to Scale



1  
23 | Elevation View

Scale:  $3/32" = 1"$

#### Description:

Overhead sign to be ceiling mounted with potential of three lines of directional copy on one side. Side not used for copy to have single solid laminated face.


#### Material / Size / Color:

E3 - 1" expanded polystyrene core with expanded PVC facing and reinforcement on edges of 48" wide and 15" high, color to match Gravo-Tac #277 SLATE

#### Graphics / Typography / Color:


Copy - Univers 55, 3" cap height, WHITE

Arrow - Silk-screened acrylic with 3" WHITE arrow, color shown for illustration purposes only and is not a specified color



2  
23 | Detail Elevation View


Scale:  $1/4" = 1"$



3  
23 | Mounting Location View

Not to Scale

\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4

**Description:**

Overhead sign to be ceiling mounted with potential of three lines of directional copy on both sides of sign.


**Material / Size / Color:**

E3 - 1" expanded polystyrene core with expanded PVC facing and reinforcement on edges of 48" wide and 15" high, color to match Gravo-Tac #277 SLATE

**Graphics / Typography / Color:**


Copy - Univers 55, 3" cap height, WHITE

Arrow - Silk-screened acrylic with 3" WHITE arrow, color shown for illustration purposes only and is not a specified color




1  
23A | Elevation View

Scale:  $3/32" = 1"$



2  
23A | Detail Elevation View


Scale:  $1/4" = 1"$



3  
23A | Mounting Location View


Not to Scale

\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4




1  
23B | Elevation View

Scale:  $3/32" = 1"$



2  
23B | Detail Elevation View

Scale:  $1/4" = 1"$



3  
23B | Mounting Location View

Not to Scale

#### Description:

Overhead sign to be ceiling mounted with potential of four lines of directional copy on one side. Side not used - solid colors with individual panels and boxes for removal.

#### Material / Size / Color:

E4 - 1" expanded polystyrene core with expanded PVC facing and reinforcement on edges of 48" wide and 20" high, color to match Gravo-Tac #277 SLATE


#### Graphics / Typography / Color:

Copy - Univers 55, 3" cap height, WHITE

Arrow - Silk-screened acrylic with 3" WHITE arrow, color shown for illustration purposes only and is not a specified color

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



**Description:**


Overhead sign to be ceiling mounted with potential of four lines of directional copy on both sides of sign.

**Material / Size / Color:**

E4 - 1" expanded polystyrene core with expanded PVC facing and reinforcement on edges of 48" wide and 20" high, color to match Gravo-Tac #277 SLATE


**Graphics / Typography / Color:**

Copy - Univers 55, 3" cap height, WHITE  
 Arrow - Silk-screened acrylic with 3" WHITE arrow, color shown for illustration purposes only and is not a specified color



1  
23C | Elevation View


Scale:  $3/32" = 1"$



2  
23C | Detail Elevation View


Scale:  $3/16" = 1"$

\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4




3  
23C | Mounting Location View

Not to Scale



1  
24 Elevation View

Scale:  $3/32" = 1"$



2  
24 Alternate Sides

Scale:  $3/64" = 1"$

#### Description:

Overhead sign to be ceiling mounted with four faces each of which has the potential of three lines of directional copy.


#### Material / Size / Color:

E3 - 1" expanded polystyrene core with expanded PVC facing and reinforcement on edges of 48" wide and 15" high, color to match Gravo-Tac #277 SLATE

#### Graphics / Typography / Color:


Copy - Univers 55, 3" cap height, WHITE  
Arrow - Silk-screened acrylic with 3" WHITE arrow, color shown for illustration purposes only and is not a specified color

\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4




3  
24 Detail Elevation View

Scale:  $1/4" = 1"$




4  
24 Mounting Location View

Not to Scale




1  
24A | Elevation View

Scale:  $3/32" = 1"$



2  
24A | Alternate Sides

Scale:  $3/64" = 1"$



3  
24A | Detail Elevation View

Scale:  $1/4" = 1"$

#### Description:

Overhead sign to be ceiling mounted with four faces each of which has the potential of four lines of directional copy.


#### Material / Size / Color:

E4 - 1" expanded polystyrene core with expanded PVC facing and reinforcement on edges of 48" wide and 20" high, color to match Gravo-Tac #277 SLATE

#### Graphics / Typography / Color:



Copy - Univers 55, 3" cap height, WHITE  
Arrow - Silk-screened acrylic with 3" WHITE arrow, color shown for illustration purposes only and is not a specified color

*\*NOTE: For more detailed information about the Mounting of the Sign refer to Section 2.4*



4  
24A | Mounting Location View

Not to Scale

**Description:**

Freestanding Directional Kiosk.

**Materials / Size / Color:**

Sign Type 20 with insert

H1 - acrylic holder for paper handouts, 9" wide and 1'-0" high

J1 - 1/4" fiberglass bonded to aluminum framing members at every corner and edge with bracing, color to match Gravoply SLATE, bolted to floor or braced with 100 lb. weight.

**Graphics / Typography / Color:**

Kiosk Title - Univer 55, 2" cap height, WHITE

**Description:**

Backlit Orientation Map and Directory  
Combination to be recessed into millwork or wall.

**Typography:**

Style - Univers 55

Color - White

Size on message strip - 1/4" cap height

Size on sheet graphic - per CD-ROM

